

## AUTHOR INDEX

- Albrecht, W. A.** Plant nutrition and the hydrogen ion: V, 265-271
- Allison, L. E.** *See Christiansen, J. E.*
- Barshad, I.** California prairie soils, 423-442
- Beach, W. S.** Pathogenic and physiogenic damping-off, 37-46
- Bray, R. H.** *See Kurtz, T.*
- Bryant, J. C.** *See Slater, C. S.*
- Cantino, E. C.** Determination of sulfate in natural waters and soil extracts, 361-368
- Chepil, W. S.** Dynamics of wind erosion: IV, 167-178; V, 257-263; VI, 331-340
- Christiansen, J. E.**, Fireman, M., and Allison, L. E. Displacement of soil-air by CO<sub>2</sub> for permeability tests, 355-360
- Chupp, C.** Factors in disease incidence, 31-36
- Clements, L. B.** *See MacIntire, W. H.*
- Colwell, W. E.** *See Mehlich, A.*
- Daines, R. H.** Control of plant diseases by inorganic amendments, 55-66
- Davis, F. L.** Retention of phosphates by soils: IV, 179-190
- DeTurk, E. E.** *See Kurtz, T.*
- Dunham, H. W.** *See MacIntire, W. H.*
- Edginton, G.** *See Robinson, W. O.*
- Fireman, M.** *See Christiansen, J. E.*
- Garrett, S. D.** Soil as a medium for disease organisms, 3-8
- Greaves, J. E.**, and Pittman, D. W. Influence of fertilizers on crops and soil, 239-246
- Haise, H. R.**, and Kelley, O. J. Relation of moisture tension to heat transfer and electrical resistance, 411-422
- Hilmoe, R. J.** *See Searight, W. V.*
- Hunter, A. S.**, and Kelley, O. J. Soil moisture tensiometers for field use, 215-217
- Jamison, V. C.** Potassium and magnesium in Florida soils, 443-453
- Jenny, H.** Arrangement of soils according to functions of soil-forming factors, 375-391
- Johnson, J.** Soil-steaming for disease control, 83-91
- Kelley, O. J.** *See Haise, H. K.; Hunter, A. S.*
- Kincaid, R. R.** Soil factors affecting incidence of root knot, 101-109
- Kurtz, T.**, DeTurk, E. E., and Bray, R. H. Phosphate adsorption by Illinois soils, 111-124
- Larsson, K. G.** *See Mattson, S.*
- MacIntire, W. H.**, Winterberg, S. H., Dunham, H. W., and Clements, L. B. Variance in carbonatation of silicate materials in soils, 295-311
- McKinney, H. H.** Soil factors in relation to virus diseases, 93-100
- Madhok, M. R.**, and Uddin, F. Losses of nitrogen from soils on desiccation, 275-280
- Martin, J. P.** Microorganisms and soil aggregation: II, 157-166
- Mattson, S.**, and Larsson, K. G. Laws of soil colloidal behavior: XXIV, 313-330
- Mehlich, A.**, and Colwell, W. E. Absorption of calcium by peanuts from kaolin and bentonite, 369-374
- Moxon, A. L.** *See Searight, W. V.*
- Newhall, A. G.** Soil fumigants for plant disease control, 67-82
- Peterson, J. B.** Clay minerals and soil structure formation, 247-256; relation of parent materials and environment to clay minerals in Iowa soils, 465-475
- Pittman, D. W.** *See Greaves, J. E.*
- Reitemeier, R. F.** Effect of dilution on ions of soils of arid regions, 195-214
- Reitemeier, R. F.**, and Wilcox, L. V. Estimating soil solution concentration from electrical conductivity 281-293
- Robinson, W. O.**, and Edginton, G. Fluorine in soils, 341-353
- Sanford, G. B.** Soil-borne diseases and microflora, 9-21
- Schuster, C. E.** *See Stephenson, R. E.*
- Searight, W. V.**, Moxon, A. L., Hilmoe, R. J., and Whitehead, E. I. Selenium in South Dakota soils, 455-463
- Slater, C. S.**, and Bryant, J. C. Methods of soil moisture measurement, 131-155
- Smith, V. T.**, Wheating, L. C., and Vandecaveye, S. C. Effects of organic residues and nitrogen fertilizers on semi-arid soil, 393-410
- Stephenson, R. E.**, and Schuster, C. E. Straw mulch for soil improvement, 219-224
- Stewart, E. H.**, and Volk, N. J. Soil potash extractable by plants, 125-129

- Tidmore, J. W. *See* Volk, N. J.  
Uddin, F. *See* Madhok, M. R.  
Vandecaveye, S. C. *See* Smith, V. T.  
Volk, N. J. *See* Stewart, E. H.  
Volk, N. J., and Tidmore, J. W. Effect of nitrogen sources on soil reaction, exchangeable ions, and crop yields, 477-492  
Wadleigh, C. H. Soil moisture stress on a root system in saline soil, 225-238  
Walker, J. C. Soil management and plant nutrition in relation to disease, 47-54  
Weindling, R. Microbial antagonism and disease control, 23-30  
Wheeting, L. C. *See* Smith, V. T.  
Whitehead, E. I. *See* Searight, W. V.  
Wilcox, L. V. *See* Reitemeier, R. F.  
Winterberg, S. H. *See* MacIntire, W. H.

## SUBJECT INDEX

- Absorption—  
curve of phosphates, 111  
effect of soil-solution ratio on, 112  
of ammonium and calcium ions by kaolin,  
bentonite, 318  
of calcium by peanuts from kaolin and  
bentonite, 369-374  
of phosphates by Illinois soils, 111-124
- Aggregation—  
composition, 334  
effect of montmorillonite and kaolinite  
on, 248  
soil and microorganisms, 157-166
- Air, displacement by carbon dioxide, per-  
meability tests, 355-360
- Antagonism, microbial—  
and disease control, 23-30  
mechanism, 28-30  
soil invaders affected by, 25-26
- Anion, replacement, 120
- BOOKS**
- Atomic Energy for Military Purposes, 191  
Brazil, Orchid of the Tropics, 191  
De Ment, J. Fluorochemistry, 191  
Demolon, A. La Dynamique du Sol, ed. 3, 191  
Dynamique du Sol, 191  
Fertilizer, Wood Products for, 192  
Food problem, World's Hunger, 192  
Foster, M. B., and Foster, R. S. Brasil, Orchid of the  
Tropics, 191  
Foster, R. S. See Foster, M. B.  
Fluorochemistry, 191  
Geology, Rocks and Rivers of America, 192  
Harper, F. A. See Pearson, F. A.  
Pearson, F. A., and Harper, F. A. World's Hunger, 192  
Photosynthesis and Related Processes, Vol. 1, 192  
Rabinowitch, E. I. Photosynthesis and Related Pro-  
cesses, 192  
Rocks and Rivers of America, 192  
Schuler, E. W. Rocks and Rivers of America, 192  
Smyth, H. D. Atomic Energy for Military Purposes,  
191  
Soil, Dynamique du Sol, 191  
Soil conservation, Rocks and Rivers of America, 192  
Wood Products for Fertilizer, 192  
World's Hunger, 192
- Calcium—  
adsorption at varying levels, 369-374  
content of peanuts, 372  
exchangeable, distribution in podzols,  
324-325  
water-soluble, 180
- Carbon—  
content of prairie soils, 425
- Carbon—(continued)  
nitrogen ratios, 407  
organic content, 404
- Carbon disulfide, see Fumigants
- Carbonation—  
effect of cropping on, of calcium silicates,  
304  
effect of quenching and fluoride content  
on, of calcium silicate materials, 302  
of quenched slags and wollastonite, 299  
variance in, of glassy and crystalline cal-  
cium silicate in soils, 295-311
- Chloropicrin, see Fumigants
- Classification, according to functions of soil-  
forming factors, 375-391
- Clays—  
estimates of content, 469  
relation of calcium adsorption, cation-  
exchange capacity and type, 372  
relation of parent material and environ-  
ment to minerals, 465-475  
thermal curves, 439, 471
- Conductivity—  
effect of saturation on, 283  
effect of soil solution concentration on, 287  
electrical, of saturated soils, 281-293  
soil minerals, 289
- Copper, value as fungicide, 59
- Damping-off—  
control, 45  
effects of environmental factors on, 42-44  
pathogenic and physiogenic, 37-46  
relative prevalence, 41
- Desorption curves of plaster of paris, 419
- Disease—  
*Actinomyces scabies*, 10-13  
development in relation to soil manage-  
ment and plant nutrition, 47-54  
incidence, 17-19, 31-36  
medium for organisms, 3-8  
pathogenic, plants affected, 31  
potato stem canker, 13-15  
root rot of wheat, 15-16  
soil-borne, 9-22  
soil factors in relation to incidence and  
symptom expression of virus, 93-100
- Donnan equilibria—  
distribution of cations in ideal system, 316  
in soil formation, 313-330
- Erosion—  
cumulative intensity of soil drifting, 257-  
263

- Erosion—(*continued*)  
     dynamics of wind, 167-177, 257-263, 331-340  
     effect of action of wind-borne sand particles, 168
- Ethylene dichloride, *see* Fumigants
- Exchange capacity of prairie soils, 429
- Fertilizers, influence on yield, composition of crop and soil, 239-246
- Fluorine—  
     content of—  
         fertilized and unfertilized soils, 348  
         liming materials, 297  
         micaceous clays, 347  
         plants, 250  
         soils, 341-352  
     extraction from soils by plants, 349
- Fumigants—  
     factors affecting efficiency of soil, 69  
     hazards, 75  
     volatile, for plant disease control, 67-82
- Gravimetric plugs, field behavior during moisture tests, 139
- Lime—  
     control of clubroot, 57  
     effect on release of magnesium and potassium, 447
- Limestone, relative effectiveness of coarse and fine, 265-271
- Magnesium—  
     exchangeable, 452  
     release by hydrolysis, 446
- Mercury, control of scab and Rhizoctonia, 61
- Methods—  
     soil aggregation, 157  
     soil moisture measurement, 131-155  
     sulfates in waters and soil extracts, 361-368  
     wind erosion tests, 167
- Methyl bromide, *see* Fumigants
- Microflora—  
     and aggregation, 162  
     associated with crops and soil amendments, 9-22  
     causal organisms of damping-off, 40
- Moisture—  
     comparison of utility of instruments for, 149  
     difference in mean soil, 144  
     effect of, content on dissolved and exchangeable ions, 195-214  
     effect on exchangeable bases, 208  
     in semiarid soils, 402  
     in soils, comparison of four methods of measurement, 131-155
- Moisture—(*continued*)  
     pH values at various contents, 231  
     stress on root system, 225-238  
     tension, relation to heat transfer and electrical resistance, 411-422  
     variability, as determined by sampling, 151
- Mulch—  
     effect on soluble phosphorus and potassium, 221  
     straw for soil improvement, 219-224
- Neutralization—  
     curves of kaoline, bentonite, 317  
     values of liming materials, 297
- Nitrogen—  
     changes in soil, 401  
     content of—  
         cultivated and drifted soils, 333  
         prairie soils, 425  
         wheat, 398-399,  
     effect of—  
         ammonium on losses of nitrous, 279  
         desiccation on total, 278  
         losses of nitrous, on desiccation, 275-280  
         nitrate, content of soil, 403  
         sources, effect on—  
             exchangeable ions, 483  
             soils and plants, 477-492  
             yields, 479
- Organic matter—  
     content of—  
         cultivated and drifted soils, 333  
         prairie soils, 425  
     effect of residues and nitrogen fertilizers on a semiarid soil, 393-410  
     effect on water-stable structure, 249
- Phosphates—  
     adsorption by Illinois soil, 111-124  
     and pH, 182  
     content of potatoes and beets, 241  
     retention by soils, 179-190  
     solubility in acids, 184-188  
     water-soluble, 180
- Plant disease control by use of inorganic soil amendments, 55-66
- Potassium—  
     different forms in soils, 127  
     exchangeable, 448  
     magnesium relationships of sandy soils, 443-453  
     rate of removal from soils by plants, 126  
     release by hydrolysis, 446
- Prairie soils of California, pedologic study, 423-442
- Resistance blocks, field behavior during moisture tests, 138

- Rhizosphere, disease incidence in relation to, 17-19
- Root knot, soil factors affecting incidence of, 101-109
- Selenium—  
content of—  
plants, 461  
soils, 457
- occurrence in Pliocene deposits and derivatives, 45-463
- Sequences—  
bio-, 387  
chrono-, 377  
climo-, 387  
hydro-, 386  
litho-, 379  
significance of, 390  
topo-, 382
- Soil series, analyses, descriptions of, or experiments with—  
Arredonda, 343; Altamont, 387; Barnes, 343; Beltsville, 132; Brassua, 343; Bridgeport, 343; Brookston, 388; Cajon, 290; Caribou, 348; Carrington, 343, 428; Cayucos, 424; Cecil, 126, 478; Cherokee, 428; Chester, 343; Cisne, 114; Clarksville, 126; Clarion, 433, 465; Clement, 114; Clinton, 465; Clyde, 388; Coachella, 387; Colbert, 126; Colby, 343; Collington, 348; Colma, 380, 424; Crosby, 388; Cypress, 169, 258; Davidson, 126; Decatur, 126, 348, 478; Delco, 157; Delhi, 387; Des Moines, 467; Drummer, 388; Durham, 126; Edina, 471; Exeter, 357; Fallbrook, 288, 387; Fayette, 344; Fort Collins, 198, 288, 357; Fox Valley, 169, 334; Frederick, 344; Fullerton, 303; Gleason, 424; Glendale, 357; Gosport, 465; Greenfield, 378; Greenville, 344; Hagerstown, 344; Hammond, 179; Hanford, 378; Hartells, 126, 300, 478; Hatton, 169, 258, 334; Haverhill, 169, 258, 334; Herrick, 348; Hesperia, 198, 357; Holdrege, 344; Holland, 387; Houston, 344; Hugo, 380; Imperial, 198; Indio, 198, 289; Kalkaska, 344; Kirvin, 345; Kokono, 388; Las Posas, 387; Levis, 385; Los Osos, 387, 424; Madison, 345; Marina, 387; Marshall, 345, 428, 465; Maury, 345; Merriam, 387; Miami, 345, 388; Millville, 239; Mohave, 387; Montevallo, 297; Muirkirk, 133; Muscatine, 111; Muskingum, 345; Norfolk, 345, 443, 478; Oahu, 345; Oakley, 387; Octagon, 388; Odell, 388; Orangeburg, 126, 478; Otterbein, 388; Oxalis, 385; Palouse, 198, 346; Panoche, 228, 379; Parr, 388; Placentia, 378; Putnam, 266; Ramona, 378; Reagan, 198, 290, 357; Redding, 346; Regina, 334; Ritzville, 395; Rositas, 387; Ruston, 370; Sable, 114, 348; San Joaquin, 378; Sassafras, 59, 63, 348; Savannah, 126; Sceptre, 169, 258, 334; Sharkey, 346; Shelby, 346, 428, 465; Sheridan, 380, 384, 424; Sierra, 387; Sobrante, 387; Soquel, 387; Sorrento, 387; Summit, 428; Sweeney, 380, 424; Tama, 248, 465; Tifton, 126; Tujunga, 378; Vale, 357; Vallecitos, 387; Vernon, 346; Vista, 387; Volusia, 63; Weathersfield, 348; Webster, 465; Wooster, 348; Yolo, 357, 387
- Specific gravity and equivalent diameter of soil grains, 336
- Steaming—  
influence on—  
plant growth, 85  
soil, 85
- methods of, 87
- of soils for disease control, 83-92
- Structure—  
as affected by—  
lignin, 163  
polysaccharides, 160  
protein, 163
- formation, role of clay minerals in, 247-256
- Sulfur—  
content of alfalfa, 243  
control of *Actinomyces scabies*, 56
- Tensiometers—  
changes in construction, 215-217  
field behavior, 135
- Whitson, A. R., obituary, 273



